

R#qU cøvm

Mø#Kvmvwb nvB#W#K-vivBW BDGmwc 250 wgMÖv I KbW#qwUb mvj#dU BDGmwc 200 wgMÖv Glucosamine Hydrochloride USP 250 mg & Chondroitin Sulfate USP 200 mg

JOINT PLUS

উপস্থাপন :

R#qU cøvm U've#jU: cÖwZwU cvZjv AveiYhy³ U've#jU i#q#Q Mø#Kvmvwb mvj#dU BDGmwc 250 wgMÖv Ges KbW#qwUb mvj#dU BDGmwc 200 wgMÖv|

বিবরণ :

R#qU cøvm U've#jU n#jv my' Ziaebvw'i `yÖwU cÖavb cÖvK...wZK Dcv`vb Mø#Kvmvwb Ges KbW#qwU#bi mylg w#gkÖY| Mø#Kvmvwb n#jv Ziaebvw'i GKwU cÖvK...wZK GgvB#bv myMvi hv kix#i Aw`mwÜi Ziaebvw' `Zixi cÖavb KuvPvgvj| KbW#qwUb n#jv Ziaebvw'i Av#iKwU cÖvK...wZK wgD#Kvcwjm`vKvibNw hv Ziaebvw' `ZixiK AbycÖvwYZ K#i, Ziaebvw' aYsmKvix GbRvBgm~n#K evav t`q, tKv#l cvvb tU#b tbq Ges Aw`mwÜ#K wcv`Qj KiZ mvnvh` K#i| Bnviv GK#l mn#hvMxg~jKfv#e t#vRK Kvj (thgb- Ziaebvw', nvo, tUÜb, Z;K, wgDKvm tgg#e#b, i#bvjKv BZ`vw') Drcv`b Ges cyb#ivrcv`#b mvnvh` K#i|

নির্দেশনা ও ব্যবহার :

nvuUz, tKvgi, tgiæ`Ð, nvZ I Ab`vb` `v#b ev#Zi wPwKrmvq Lv` m#ú~iK wn#m#e| GwU wiDgvU#qW Av_©ÖvBwUm, tLjvayjvq AvNvZcÖvß, gvB#MÖb, Z;#Ki wewfboe mgm`vq (#hgb-tmvviqvwmm, i#bvjKvi RvUjZvq- (#hgb, A`v_v#iv#`#j#i#wmm), wKWbxi cv_i Ges Bbd~vg`vUwi evl#tj wWwRR (#hgb-Avjmv#iwUf tKvjvBwUm, wjwK MvU wmb#W#vg)- G DcKvix|

সেবন মাত্রা ও বিধি :

1 t`#K 2wU U've#jU cÖwZw`b wZb evi K#i A_ev wPwKrm#Ki civgk© Abyhvqx tme`| `zj e`w#`i t#i#l, t`#ni IR#bi wfw#Z D`P gvIvq cÖ#qvRb n#Z cv#i|

প্রতিনির্দেশনা :

Mø#Kvmvwb I KbW#qwUb Gi tKvbifc cÖwZwb#`©kbv Rvbv hvqwb| Z#e cÖgwwYZ AwZms#e`bKxZvi (thgb, t#mjwdk ev mvjdv#i cÖwZ Gjvwr©) t#i#l GwU cÖwZwb#`©wkZ|

সাবধানতা :


Wvqv#ewUK tivMx#i Mø#Kvmvwb MÖNYKvj i# Mø#Kv#Ri cwigvY wbgwZ cixlv Kiv DwPZ| hK...Z I e,#`i Ach#vZv wewkó tivMx#i t#i#l tKvb we#kl M#elYv Kiv nqwb| Mø#Kvmvwb#bi I KbW#qwU#bi Uw#Kv#jvwrK`vj I dvg#v#KvYb#bwUK `ewkó`_#jv Gme tivMx#i t#i#l tKvbifc mxgvexZv wb#`©k K#i bv| Zeyl hK...Z I e,#`° gvivZ#K tivMvµv#l tivMx#i h_vh_ tgvW#Kj ch#e#i#Y GwU t`qv DwPZ|

পার্শ্ব প্রতিক্রিয়া :

cÖK...Zc#l Mø#Kvmvwb Ges KbW#qwUb Df#qB wbwe©| cvk#l cÖwZwµqv NUbv weij Ges Zv t#tU A`^w`_ewg ewg fve A_ev Wvqwiqv#Z mxgvex| U've#jUwU Lvev#ii mv#_ tL#j GB cvk#l cÖwZwµqv #jv mvaviYZ t`Lv t`q bv|

গর্ভাবস্থায় ও স্তন্যদানকালে :

Mf#eZx I Mf#vmb#e gwnjv#i t#i#l Mø#Kvmvwb Ges KbW#qwUb mvwco#gU t`qv DwPZ bq| Mf#w`Z wkii cÖwZ Mø#Kvmvwb I KbW#qwUb Gi cÖwZwµqv m#úwK©Z h#_ó cixlv Pvjv#bv nqwb Ges Mf#eZx I `b`vbKvix gv#q#i t#i#l Mø#Kvmvwb#bi e`envi m#úwK©Z tKvb M#elYv Kiv nqwb| ZvB Mf#ve`vq I `b`vbKv#j we#kl mZK©Zvi mv#_ Ges wPwKrm#Ki civgk© wb#q Mø#Kvmvwb I KbW#qwUb MÖNy Kiv DwPZ`ZKviK:

 **কেমিস্ট ল্যাবরেটরীজ লিমিটেড**
K#jR tiv, ewikvj, evsjv# k|

Presentation:

Joint Plus Tablet: Each film-coated tablet contains Glucosamine Sulfate USP 250 mg and Chondroitin Sulfate USP 200 mg.

Description:

Joint Plus tablet is a balanced combination of two leading natural supplements of healthy cartilage - Glucosamine and Chondroitin. Glucosamine is a naturally occurring amino sugar of cartilage that provides the basic raw material needed by the body to manufacture joint cartilage. And Chondroitin is another naturally occurring mucopolysaccharide of cartilage that stimulates cartilage production, inhibits cartilage destroying enzymes, draws fluid to the cells and helps lubricate the joints.

They work synergistically together to help stimulate the production and regeneration of connective tissues (e.g., cartilage, bone, tendon, skin, mucous membrane, blood vessels etc.).

Indications and Uses:

Indicated for the treatment of osteoarthritis of knee, hip, spine, hand, and other locations as a dietary supplement. It is also beneficial in rheumatoid arthritis, sport injuries, migraine, different skin problems (e.g., psoriasis), vascular complications (e.g., atherosclerosis), kidney stones, and inflammatory bowel disease (e.g., ulcerative colitis, leaky gut syndrome).

Dosage and Administration:

1 to 2 tablets three times daily or as directed by the physician. Obese individuals may need higher doses, based on body weight.

Contraindications:

There are no known contraindications for Glucosamine and Chondroitin. But proven hypersensitivity (e.g. allergic to shellfish or sulfur) to Glucosamine and Chondroitin is a contraindication.

Precautions:

Diabetics are advised to monitor blood glucose levels regularly while taking Glucosamine. No special studies were formed in patients with renal and/or hepatic insufficiency. The toxicological and pharmacokinetic profile of the product does not indicate limitations for these patients. However administration to these patients with severe hepatic or renal insufficiency should be under appropriate medical supervision.

Side-effects:

Both Glucosamine and Chondroitin Sulfates are virtually nontoxic. Side effects are rare and are limited to stomach upset, nausea or diarrhea. These usually disappear when the tablet is taken with meals.

Use in pregnancy & lactation:

Women who are pregnant or who could become pregnant should not supplement with Glucosamine and Chondroitin. They have not been studied enough to determine their effects on a developing fetus, and no studies have evaluated the use of Glucosamine and Chondroitin during pregnancy or lactation. It should be taken with caution and medical advice during pregnancy and lactation.

Drug interactions:

There have been no reports of significant drug interactions of Glucosamine with antibiotics / anti-depressants / anti hypertensives / nitrates / antiarrhythmics / anxiolytic / hypoglycemic agents / anti-secretives. But in case of Chondroitin there is a chance of drug interaction with blood-thinning medications (e.g., warfarin, heparin).


Storage:

Store at temperature within 30°C & protected from light & moisture. Keep away from the reach of children.

Commercial Pack:

Joint Plus Tablet: Each box contains 3 blister strips of 10 tablets.

Manufactured by:

 **Chemist Laboratories Ltd.**
College Row, Barishal, Bangladesh.