কিং সিজ

কড লিভার অয়েল মাল্টি-ভিটামিন সিরাপ

8wU cÖ‡qvRbxq wfUvwgbmn

উপস্থাপন

কিং সিজ : cÖwZ 5 wg.wj. wmiv‡c Av‡Q wfUvwgb G (wfUvwgb-G cvjwg‡UU wnmv‡e) wewc 2000 AvB BD, wfUvwgb wW3 (KwjK¨vjwm‡dij) wewc 200 AvB BD, wfUvwgb we1 (_vqvwgb nvB‡Wªv‡K¬vivBW) wewc 0.70 wg.MÖv., wfUvwgb we2 (wi‡evd¬vwfb ‡mvwWqvg dm‡dU) wewc 0.85 wg.MÖv., wfUvwgb we6 (cvBwiWw·b nvB‡Wªv‡K¬vivBW) wewc 0.35 wg.MÖv., wfUvwgb wm (GmKiweK GwmW) wewc 17.50 wg.MÖv., wfUvwgb B (Avjdv ‡Uv‡Kv‡dij Gwm‡UU) wewc 1.50 AvB BD, wb‡KvwUbvgvBW wewc 9.00 wg.MÖv. Ges KW wjfvi A‡qj wewc 100 wg.MÖv.|

বর্ণনা

কিং সিজ G Av‡Q 8wU cÖ‡qvRbxq wfUvwgbmn KW wjfvi A‡qj| wkï‡`i evowZ myi¶v †`q| কিং সিজ wkï‡`i k³fv‡e †e‡o IVv I my¯' _vKvi Rb¨ ch©vß wfUvwgb mieivn wbwðZ K‡i| কিং সিজ KW wjfvi A‡q‡ji g‡a¨ Av‡Q wfUvwgb G, wfUvwgb wW, BwcG I wWGBPG| ‡ivM cªwZ‡iva, Aw¯' e„w×, bvBU wfkb, †Kv‡li e„w×, †Uw÷wKDjvi IIfvwiqvb dvsk‡b wfUvwgb G cÖ‡qvRb nq| K¨vjwmqvg †kvlb I e¨envi Ges †¯‹‡jUvj e„w×‡Z wfUvwgb wW cÖ‡qvRb nq| BwcG I wWGBPG n‡"Q I‡gMv 3 d¨vwU GwmW †h¸‡jv kix‡i †cÖv÷vMøvbwW‡b iƒcvšÍwiZ nq| ni‡gv‡bi Kv‡Ri Dci †cÖv÷vMøvbwW‡bi gwWD‡jwUs cÖfve _vKvq kvixie„Ëxq aviv gvwbqvwK cÖwµqvi cÖfve †d‡j| I‡gMv 3 d¨vwU GwmW Aw÷IAv_ªvBwUm I wiDgvU‡qW Av_ªvBwU‡mi DcmM© `~i K‡i, †ivM cÖwZ‡iva ¶gZv evovq Ges i³ mÂvjb mPj iv‡L| aviYv Kiv nq †h, BwcG I wWGBPG K‡ivbvix nvU© wWwR‡Ri SzuwK Kwg‡q †`q| Af~wgó wkïi gw¯Í®‹ e„w×i Rb¨ wWGBPG cÖ‡qvRb|

নির্দেশনা

কিং সিজ wmivc wfUvwg‡bi Afve c~i‡Y mnvqZv K‡i| †ivMe¨vwa cieZx© nviv‡bv Rxebxkw³ wdwi‡q Av‡b| cwikªvšÍ I n‡Zv¨g evošÍ wkï‡`i ¶zav Abxnv `~i K‡i| GB gvwëwfUvwgb wmivc my¯' Z¡K, Pzj, `vuZ Ges Aw¯' i¶bv‡e¶‡Y mnvqZv K‡i|

সেবনমাত্রা ও প্রয়োগবিধি- সেবনের পূর্বে বোতল ভালকরে ঝাঁকিয়ে নিতে হবে।

beRvZK (1-6 gvm) : cÖwZw`b 2.5 wg.wj. (A‡a©K Pv PvgP)

wkï 6 gv‡mi E‡aŸ© : cÖwZw`b 5-10 wg.wj. (1-2 Pv PvgP)

cÖvßeq®‹ : cÖwZw`b 10 wg.wj. (2 Pv PvgP)

বিঃ দ্রঃ পানি অথবা দুধের সাথে মিশিয়ে খাওয়া যেতে পারে।

প্রতিনির্দেশনা

†j‡fv‡Wvcv wPwKrmvq, nvBcviK¨vjwmwgqv, Møy‡KvR-6-dm‡dU wWnvB‡W«vwR‡bR NvUwZ Ges †h mg¯Í †ivMx GB Ily‡ai †h †Kvb mwµq Dcv`v‡bi cÖwZ AwZms‡e`bkxj Zv‡`i‡K †`Iqv hv‡e bv|

পার্শ্ব প্রতিক্রিয়া

K`vwPr

অন্য ঔষধের সাথে ক্রিয়া

BivB‡_ªvgvBwmb, KbRy‡M‡UW B‡÷ªv‡Rb, †mvwWqvg evBKv‡ev©‡bU, †K¬vivg‡dwbKj, †K¬v‡iv_vqvRvBW BZ¨vw` Ily‡ai mv‡_ Avšÿwµqv n‡Z cv‡i|

গর্ভাবস্থায় ও স্তন্যদানকালে ব্যবহার

wPwKrm‡Ki civgk© Abyhvqx †meb Kiv hv‡e|

কেমিস্ট ল্যাবরেটরীজ লিমিটেড
কলেজ রো, বরিশাল, বাংলাদেশ।

king seas

Cod Liver Oil & Multi-Vitamin Syrup

With 8 essential vitamins

Presentation

king seas : Each 5 ml syrup contains Vitamin A (as Vitamin-A Palmitate) BP 2000 IU, Vitamin D_3 (Cholecalciferol) BP 200 IU, Vitamin B_1 (Thiamine Hydrochloride) BP 0.70 mg, Vitamin B_2 (Riboflavin sodium phosphate) BP 0.85 mg, Vitamin B_6 (Pyridoxine Hydrochloride) BP 0.35 mg, Vitamin C (Ascorbic Acid) BP 17.50 mg, Vitamin E (Alpha Tocopherol Acetate) BP 1.50 IU, Nicotinamide BP 9.00 mg and Cod Liver Oil BP 100 mg.

Description

king seas contains eight essential vitamins with Cod Liver Oil. king seas provides extra protection for children. king seas ensures for getting enough vitamins to children that help them to be grown up strong & stay healthy. king seas Cod Liver Oil contains Vitamin A, Vitamin D, EPA & DHA. Vitamin A is essential for the immune system, bone growth, night vision, cellular growth, testicular and ovarian function, Vitamin D is essential for the absorption and utilization of the calcium, which is also required for skeletal growth. EPA & DHA; Omega- 3 fatty acids, which are converted in the body to produce prostaglandins that affect a wide variety of physiological processes due to their modulating effect on the action of hormones, Omega- 3 fatty acids relieve the symptoms of osteoarthritis, rheumatoid arthritis which is also enhances immune function and promote healthy blood circulation. It is thought that EPA & DHA may reduce the risk of coronary heart disease. DHA seems essential for normal brain development in unborn babies.

Indications

king seas helps to prevent vitamin deficiency and helps to restore lost vitality after illness, loss of appetite or just when feel tired or run down in growing children. It also helps to maintain healthy skin, hair, nails, teeth and bones.

Dosage & Administration- Shake well before use.

Infants (1-6 Months)	: 2.5 ml (0.5 Teaspoon/day)
Children 6 months onwards	: 5-10 ml (1-2 Teaspoonful/day)
Adult	: 10 ml (2 Teaspoonful/day)

Note: Can be taken with water and milk.

Contraindications

Should not be used in the patients in levodopa therapy, hypercalcemia, glucose-6-phosphate dehydrogenase deficiency and hypersensitivity to any of the active ingredients.

Side effects

Very rare.

Drug interactions

Erythromycin, Conjugated estrogens, Sodium bicarbonate, Chloramphenicol, Chlorothiazide etc.

Use in Pregnancy & Lactation

Should be taken on physician advice.

Storage

Keep out of reach of children. Store at temperature within 30°C and protect from light.

Commercial pack

king seas **100 ml:** Each bottle contains 100 ml syrup with a measuring cup.

king seas **200 ml:** Each bottle contains 200 ml syrup with a measuring cup.

Chemist Laboratories Ltd.
College Row, Barishal, Bangladesh.